

A method of treating a patient suffering from a disease, disorder or condition includes the administration to the patient of a therapeutically effective amount of botulinum toxin of a selected serotype until the patient experiences loss of clinical response to the administered botulinum toxin and thereafter administering to the patient a therapeutically effective amount of another botulinum toxin of a different serotype.

DATE	DESCRIPTION	AMOUNT	BALANCE
1912	Jan 1		100.00
	Feb 1	10.00	110.00
	Mar 1	20.00	130.00
	Apr 1	30.00	160.00
	May 1	40.00	200.00
	Jun 1	50.00	250.00
	Jul 1	60.00	310.00
	Aug 1	70.00	380.00
	Sep 1	80.00	460.00
	Oct 1	90.00	550.00
	Nov 1	100.00	650.00
	Dec 1	110.00	760.00
1913	Jan 1	120.00	880.00
	Feb 1	130.00	1010.00
	Mar 1	140.00	1150.00
	Apr 1	150.00	1300.00
	May 1	160.00	1460.00
	Jun 1	170.00	1630.00
	Jul 1	180.00	1810.00
	Aug 1	190.00	2000.00
	Sep 1	200.00	2200.00
	Oct 1	210.00	2410.00
	Nov 1	220.00	2630.00
	Dec 1	230.00	2860.00
1914	Jan 1	240.00	3100.00
	Feb 1	250.00	3350.00
	Mar 1	260.00	3610.00
	Apr 1	270.00	3880.00
	May 1	280.00	4160.00
	Jun 1	290.00	4450.00
	Jul 1	300.00	4750.00
	Aug 1	310.00	5060.00
	Sep 1	320.00	5380.00
	Oct 1	330.00	5710.00
	Nov 1	340.00	6050.00
	Dec 1	350.00	6400.00